

## DATA SHEET

### DDIKE



ARTICLE CODE	DDIKE
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine Buff grain leather
Toe	200 J Steel toe
Sole	Single density Direct injected PU sole
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Black color powder coated
Lace	Round, blk-grey
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	940 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

#### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

#### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

#### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## TECHNICAL DATA SHEET

**DUR**  **LITE**



### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent breathability
- Light weight
- Anti-bacterial & no odors

ARTICLE CODE	DURALITE SS 856
Style	Safety shoes with sports shoe features.
Type	Low ankle safety shoe
Upper	Suede & CG Leather
Toe	200 J Fiber toe
Sole	Double density direct injected PU sole
Lining	Soft PU mesh cushioned lining
Stitches	Nylon thread
Lace	Round Nylon
Size	5 – 11
Tongue	PU cushioned mesh fabric.
Color	Gray / Black
Socks	Eva Laminated Cushioned Socks
Weight	900 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

**Store in a dark, dry & well ventilated area**

Cleaning - with a damp cloth to remove dirt & dust

## TECHNICAL DATA SHEET

**DYELEC**



### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Free from any metal parts
- Excellent breathability
- Light weight
- Anti-bacterial & no odors

ARTICLE CODE	DYELEC
Style	Electrical safety shoes. Derby Type.
Type	Low ankle safety shoe
Upper	Suede & CG Leather
Toe	200 J composite toe
Sole	Double density direct injected PU sole
Lining	Soft PU mesh lining
Electrical Properties	Electrical resistant up to 17 KV
Stitches	Nylon thread
Lace	Round Nylon
Size	5 – 11
Tongue	Leather padded with PU foam
Color	Gray / Black
Socks	Eva Laminated Cushioned Socks
Weight	965 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

**Store in a dark, dry & well ventilated area**

Cleaning - with a damp cloth to remove dirt & dust

## DATA SHEET



ARTICLE CODE	DYNAX
Style	Derby safety shoes
Type	Low ankle
Upper	Genuine Buff grain leather
Toe	200 J Steel toe
Sole	Double density direct injected PU sole
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Black color powder coated
Lace	Round, blk-grey
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	945 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## DATA SHEET



**R** RIGGEX



ARTICLE CODE	RIGGEX
Style	Derby safety shoes
Type	High ankle
Upper	Genuine Buff grain leather
Toe	200 J Steel toe
Sole	Double density direct injected PU sole
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Black color powder coated
Lace	Round, blk-grey
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	980 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## DATA SHEET



ARTICLE CODE	SS 300HR
Style	Derby type Heat resistant safety shoes
Type	Low ankle
Upper	Genuine leather
Toe	200 J Steel toe
Sole	Heat resistant Nitrile
Heat resistant capacity	Up to 300° C for one minute
Lining	Soft PU fabric
Stitches	Black nylon thread
Eyelets	Black color powder coated
Lace	Flat black color
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	1385 Gram (Pair) Tolerance ± 5%
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Anti-bacterial & no odors
- Steel Toe cap

### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## TECHNICAL DATA SHEET

ARTICLE CODE	SS HYPER
Style	Derby safety shoes
Type	Low ankle
Upper	Genuine Buff grain leather
Toe	200 J Steel toe
Sole	Double density direct injected PU sole
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Black color powder coated
Lace	Round, blk-grey.
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
In Socks	Antistatic foam padded cushioned with PU lining in-socks for extra comfort.
Reflector	Reflective strips at back in collar position for better visibility at night.
Weight	980 grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1



### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## DATA SHEET

### SS STRONG 1704



ARTICLE CODE	SS STRONG 1704
Style	Derby safety shoes with Mid steel plate
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	200 J Steel toe
Sole	Double density Direct injected PU sole with Mid steel plate
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Aluminum
Lace	Round, blk-grey
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	983 Gram (Pair) Tolerance $\pm$ 5%
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

#### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

#### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

#### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## TECHNICAL DATA SHEET

### SRTRIDE



#### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent breathability
- Light weight
- Anti-bacterial & no odors

ARTICLE CODE	DURALITE STRIDE SPORTY
Style	Safety shoes with sports shoe features.
Type	Low ankle safety shoe
Upper	Suede Leather and Mesh fabric
Toe	200 J Fiber toe
Sole	Double density direct injected PU sole
Lining	Soft PU mesh cushioned lining
Stitches	Nylon thread
Lace	Round Nylon
Size	5 – 11
Tongue	PU cushioned mesh fabric.
Color	Gray
Socks	Eva Laminated Cushioned Socks
Weight	910 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

#### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

## DATA SHEET



ARTICLE CODE	WOLVES
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine Buff grain leather
Toe	200 J Steel toe
Sole	Single density Direct injected PU sole
Lining	Soft grey color PU fabric
Electrical Properties	Antistatic Sole Resistance between 100 K ohm - 1000 mega ohms.
Stitches	Grey nylon thread
Eyelets	Black color powder coated
Lace	Round, blk-grey
Size	6 – 11
Tongue	Leather padded with PU foam
Color	Black
Socks	Full EVA padded. Antistatic
Weight	925 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	IS: 15298 Part II. 2016. As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

### Store in a dark, dry & well ventilated area

Cleaning - with a damp cloth to remove dirt & dust

### APPLICATION

Warehouse, Construction, Service Industry, Manufacturing Industries

## DATA SHEET

### AEROGO



ARTICLE CODE	AEROGO
Style	Sports Type safety shoes
Type	Low ankle safety shoe
Upper	Breathable fabric
Toe	Steel toe
Sole	Airmax sole
Lining	Soft grey color PU fabric
Stitches	Grey thread
Eyelets	Nickle plated
Lace	Round, Grey
Size	6 – 11
Color	Gray and Blue
Weight	665 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Anti-skid Sole. Resistance to slip, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### DUELMAX



ARTICLE CODE	DUELMAX
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	Airmax double density sole
Lining	Soft Black color PU fabric
Stitches	Black thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	780 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### DURAGUARD



ARTICLE CODE	DURAGUARD
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Black color PU fabric
Stitches	Black thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	760 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## TECHNICAL SPECIFICATION

### ESD SAFETY SHOE



#### ARTICLE CODE:

Style

Electrostatic discharge  
volume resistivity

Type

Sole

Upper

Toe

Lining

Tongue

Stiches

Lace

Eyelets

Socks

Size

Color

Standard

#### SS GROUNDER

Derby safety shoes with electrostatic  
discharge features.

0.1 and 100 megaohms ( $\Omega$ )

Low Ankle

Double density direct injected PU sole

Genuine leather

200 J Fiber toe

Soft grey color PU fabric

Leather padded with PU foam

Treated nylon thread

Treated Nylon round Lace

Treated Plastic

Full EVA padded. Antistatic.

5 – 11

Black

IS: 15298 Part II. 2016.

As per EN 20345 S1



#### KEY FEATURES

High tear & tensile strength

Free from any metal parts

Resistance to slip, chemicals, acid, alkali

Light weight

Anti-bacterial & no odors

## TECHNICAL DATA SHEET

ARTICLE CODE: SSGB103



Type	: Gum Boot without any toe
Upper	: PVC SOFT
Sole	: PVC moulded Sole. Slip resistant. Oil and acid resistant. Resistant to mild acid / alkali
Toe	: Rust resistant Steel toe.
Length	: 9"
Size	: 6-12
Colour	: Black
Standard	: Conforming to EN 20345.

APPLICATION:	Commercial, Pharma & Food Building & Construction Cement, Agriculture .
--------------	--

STORAGE	Keep away from sources of heat. Store in a cool dark, dry & well-ventilated area.
---------	--

CLEANING	Wipe with mild detergent and clean water
SIZE	6-12
PACKING	10 pairs in a carton

## TECHNICAL DATA SHEET

**ARTICLE CODE: SSGB104**



Type	: Gum Boot with steel toe
Upper	: PVC SOFT
Design	: Wellington Design Complete body. Reinforced with textile lining.
Sole	: PVC moulded Sole. Slip resistant. Oil and acid resistant. Resistant to mild acid / alkali
Toe	: Rust resistant Steel toe.
Length	: 13"
Size	: 6-11
Colour	: Black
Standard	: Conforming to EN 20345 . As per IS: 12254

<b>APPLICATION:</b>	<b>Commercial, Pharma &amp; Food Building &amp; Construction Cement, Agriculture &amp; Aqua Culture</b>
---------------------	---

<b>STORAGE</b>	<b>Keep away from sources of heat. Store in a cool dark, dry &amp; well-ventilated area.</b>
----------------	--

<b>CLEANING</b>	<b>Wipe with mild detergent and clean water</b>
<b>SIZE</b>	6-12
<b>PACKING</b>	10 pairs in a carton

## TECHNICAL DATA SHEET

**ARTICLE CODE: SSGB105**



Type	: Gum Boot without any toe
Upper	: PVC SOFT
Design	: Wellington Design Complete body. Reinforced with textile lining.
Sole	: PVC moulded Sole. Slip resistant. Oil and acid resistant. Resistant to mild acid / alkali
Toe	: Rust resistant Steel toe.
Length	: 13"
Size	: 6-11
Colour	: Black
Standard	: Conforming to EN 20345.

<b>APPLICATION:</b>	<b>Commercial, Pharma &amp; Food Building &amp; Construction Cement, Agriculture &amp; Aqua Culture</b>
---------------------	---

<b>STORAGE</b>	<b>Keep away from sources of heat. Store in a cool dark, dry &amp; well-ventilated area.</b>
----------------	--

<b>CLEANING</b>	<b>Wipe with mild detergent and clean water</b>
<b>SIZE</b>	6-12
<b>PACKING</b>	10 pairs in a carton

## DATA SHEET

### METEOR



ARTICLE CODE	METEOR
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	PVC moulded sole
Lining	Soft Orange color PU fabric
Stitches	Orange thread
Eyelets	Black plated
Lace	Round, blk-Orange
Size	6 – 11
Color	Black
Weight	775 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### ROCKGUARD



ARTICLE CODE	ROCKGUARD
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	Airmax duel coloured moulded sole
Lining	Soft brown color PU fabric
Stitches	Brown thread
Eyelets	Nickle plated
Lace	Round Blk - Brown
Size	6 – 11
Color	Black
Weight	740 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### ROCKY



ARTICLE CODE	ROCKY
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	PVC moulded sole
Lining	Soft grey color PU fabric
Stitches	Grey thread
Eyelets	Nickle plated
Lace	Round, blk-grey
Size	6 – 11
Color	Black
Weight	770 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### SS APPEX



ARTICLE CODE	SS APPEX
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Synthetic Leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Brown color PU fabric
Stitches	Brown thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	785 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### SS ECO PRO



ARTICLE CODE	SS ECO PRO
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Synthetic Leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Black color PU fabric
Stitches	Orange thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	760 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

**SS ECO**



ARTICLE CODE	SS ECO
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Synthetic Leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Black color PU fabric
Stitches	Orange thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	750 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### SS SPECTRA



ARTICLE CODE	SS SPECTRA
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Synthetic Leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Black color PU fabric
Stitches	Black thread
Eyelets	Black powder coated
Lace	Round, black & Gray
Size	6 – 11
Color	Black
Weight	800 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries

## DATA SHEET

### TECHGUARD



ARTICLE CODE	TECHGUARD
Style	Derby safety shoes
Type	Low ankle safety shoe
Upper	Genuine leather
Toe	Steel toe
Sole	Airmax single density sole
Lining	Soft Black color PU fabric
Stitches	Black thread
Eyelets	Black powder coated
Lace	Round, black
Size	6 – 11
Color	Black
Weight	782 Grm (Pair) Tolerance $\pm$ 5% Size 7
Standard	As per EN 20345 S1

### KEY FEATURES

- High tear & tensile strength
- Resistance to slip, chemicals, acid, alkali
- Improve shock absorption, provides pain relief, ankle & leg injuries
- Excellent resistance to abrasion
- Excellent breathability
- Light weight
- Anti-bacterial & no odors
- Steel Toe cap

Store in a dark, dry & well ventilated area

CLEANING - with a damp cloth to remove dirt & dust

### APPLICATION

- Warehouse
- Construction
- Service Industry, Manufacturing Industries